



SELF-TAPPING & THREAD-CUTTING SCREWS

STEEL
- and -
STAINLESS



THREAD-CUTTING

TYPE-F

- Flat Phillips
- Flat Phillips Undercut
- Oval Phillips
- Pan Phillips
- Truss Phillips
- Flat Slotted
- Pan Slotted
- Round Slotted
- Hex Slotted
- Hex Unslotted
- Hex Washer Phillips
- Hex Washer Slotted
 - Standard
 - Serrated
- Hex Washer Unslotted
 - Standard
 - Serrated
- Flat Six-Lobe Zinc
- Flat Six-Lobe Undercut
- Flat Six-Lobe Floorboard Black Phosphate
- Pan Six-Lobe
 - Zinc
 - Black Phosphate
- Pan Square Recess

TYPE-1—STEEL

- Flat Phillips
- Flat Phillips Undercut
- Pan Phillips
- Truss Phillips
- Pan Slotted
- Pan Six-Lobe
- Hex Slotted
- Hex Unslotted
- Hex Washer Slotted
 - Standard
 - Serrated
- Hex Washer Unslotted

TYPE-23—STEEL

- Flat Phillips
- Flat Phillips Undercut
- Hex Washer Phillips
- Oval Phillips
- Oval Phillips Undercut
- Pan Phillips
- Round Phillips
- Truss Phillips
- Pan Slotted
- Hex Slotted
- Hex Unslotted
- Hex Washer Slotted
 - Standard
 - Serrated
- Hex Washer Unslotted
- Flat Six-Lobe
- Pan Six-Lobe

TYPE-25—STEEL

- Flat Phillips
- Flat Phillips Undercut
- Truss Phillips
- Pan Phillips
- Pan Square Recess
- Flat Slotted
- Pan Slotted
- Hex Unslotted
- Hex Washer Slotted
- Hex Washer Unslotted
 - Standard
 - Serrated
- Flat Six-Lobe
- Flat Undercut Six-Lobe
- Pan Six-Lobe

SELF-TAPPING

COMBINATION DRIVE

- Hex Washer Type-AB
- Pan Type-A
- Pan Type-AB

PHILLIPS — TYPES A & AB

- Flat Type-A
- Flat Undercut Type-A
- Flat Type-AB
- Flat Undercut Type-AB
- Oval Type-A
- Oval Undercut Type-A
- Oval Type-AB
- Oval Undercut Type-AB
- #8 Oval with #6 Head Type-A
- #8 Oval with #6 Head Type-AB
- #10 Oval with #8 Head Type-AB
- Pan Type-A
- Pan Type-AB
- Pan Type-AB, Nickel Plate
- Pan Type-AB w/ Serrations
- Round Type-A
- Round Type-AB
- Round Washer
 - Type-A, Zinc Plate
 - Type-AB
 - Type-A, Chrome Plate

TRUSS

- Type-A
- Type-AB
- Type-AB, Chrome Plate
- Type-A w/#17 pt

HEX WASHER

- Phillips Type-A
- Phillips Type-AB

SLOTTED — TYPES A & AB

- Flat Type-A
- Flat Undercut Type-A
- Flat Type-AB
- Flat Undercut Type-AB
- Oval Type-A
- Oval Type-AB
- Pan Type-A
- Pan Type-AB
- Round Type-A
- Round Type-AB
- Truss Type-A
- Truss Type-AB
- Hex Slotted Type-A
- Hex Slotted Type-AB
- Hex Unslotted Type-A
- Hex Unslotted Type-AB
- Serrated Hex Washer Slotted
 - Type-A
 - Type-AB
- Serrated Hex Washer Unslotted
 - Type-A
 - Type-AB
- Hex Washer
 - Slotted Type-A
 - Slotted Type-AB
 - Unslotted Type-A
 - Unslotted Type-AB

SQUARE RECESS — TYPES A & AB

- Flat Type-A
- Flat Undercut Type-A
- Flat Type-AB
- Flat Undercut Type-AB
- Pan Type-A
- Pan Type-AB
- Truss Type-A
- Truss Type-AB
- Hex Washer Type-A

SIX-LOBE — TYPES A & AB

- Flat Type-A
- Flat Type-AB
- Flat Undercut Type-AB
- Pan Type-A
- Pan Type-AB
- Round Washer Type-A
- Truss Type-AB

POZIDRIV® ALTERNATIVES

- Pan Type-AB

TYPE-B — PHILLIPS

- 82° Flat Phillips
- Flat Undercut Phillips
- 100° Flat Phillips
- Oval Phillips
- Pan Phillips
- Round Phillips
- Truss Phillips
- Hex Washer Phillips

TYPE-B — SLOTTED & UNSLOTTED

- Pan Slotted
- Hex Slotted
- Serrated Hex Washer Slotted
- Serrated Hex Washer Unslotted
- Hex Washer Slotted
- Hex Washer Unslotted

TYPE-B — SIX LOBE

- Flat
- Flat Undercut
- Pan

TYPE-B — SQUARE RECESS

- Pan

SELF-PIERCING

- Hex Washer Combination
- Hex Washer Slotted
 - Standard
 - w/ Neo-EPDM Washer
 - w/ White-Painted Head
 - Serrated
- Hex Washer Unslotted
 - Standard
 - Serrated
- Truss Modified Phillips

HIGH-LOW SCREWS

- Flat Phillips
- Flat Undercut Phillips
- Hex Washer Phillips
- Pan Phillips
- Flat Six-Lobe
- Flat Undercut Six-Lobe
- Pan Six-Lobe
- Truss Phillips
- Pan Pozidriv®
- Hex Washer Slotted
- Hex Washer Unslotted

STEEL BLACK OXIDE

SELF-TAPPING

TYPES A & AB

- Phillips Flat Type-A
- Phillips Flat Undercut Type-A
- Phillips Flat Type-AB
- Phillips Flat Undercut Type-AB
- Phillips Pan Type-A
- Phillips Pan Type-AB
- Phillips Hex Washer Type-A
- Phillips Hex Washer Type-AB
- Phillips Oval Type-A
- Phillips Oval Type-AB
- Phillips Oval Type-A, #6 Head
- Phillips Oval Type-AB, #6 Head
- Phillips Round Washer Type-A
- Phillips Truss Type-A
- Phillips Truss Type-AB
- Slotted Indented Hex Washer
 - Type-A
 - Type-AB
 - Serrated Type-AB
- Unslotted Indented Hex Washer
 - Type-A
 - Type-AB
 - Serrated Type-AB
- Six-Lobe Flat Type-AB
- Six-Lobe Pan Type-AB
- Square Pan Type-A
- Square Pan Type-AB

TYPE-B

- Phillips Flat
- Phillips Flat Undercut
- Phillips Pan
- Phillips Truss
- Slotted Hex Washer
- Unslotted Hex Washer

HIGH-LOW SCREWS

- Phillips Flat
- Unslotted Hex Washer
- Phillips Pan
- Six-Lobe Flat
- Six-Lobe Pan

DRIVE SCREW

- Round Type-U Head

THREAD-CUTTING

TYPE-F

- Phillips Flat
- Phillips Flat Undercut
- Phillips Pan
- Phillips Truss
- Slotted Hex Washer
- Unslotted Hex Washer

TYPE-1

- Phillips Pan
- Unslotted Hex Washer

TYPE-23

- Phillips Pan
- Slotted Hex Washer
- Unslotted Hex Washer

TYPE-25

- Phillips Flat
- Phillips Pan

STEEL BLACK ZINC

SELF-TAPPING

TYPES A & AB

- Phillips Flat 82° Type-A
- Phillips Flat 82° Type-AB
- Phillips Flat Undercut Type-AB
- Phillips Hex Washer Type-AB
- Phillips Pan Type-AB
- Phillips Pan Type-A
- Phillips Oval Type-AB
- Phillips Oval Undercut Type-AB
- Phillips Round Washer Type-A
- Phillips Truss Type-A
- Phillips Truss Type-AB
- Hex Washer Slotted Type-AB
- Hex Washer Unslotted Type-AB
- Six-Lobe Pan Type-AB

TYPE B

- Phillips Flat Undercut
- Phillips Pan

HIGH-LOW SCREWS

- Phillips Flat
- Phillips Pan
- Six-Lobe Flat
- Six-Lobe Pan

THREAD-CUTTING

- Phillips Pan
 - Type-23
 - Type-25
 - Type-F
- Phillips Truss Type-F

STEEL GREEN, YELLOW, & SILVER RUSPERT

STEEL GREEN ZINC (SELF-TAPPING)

TYPE-AB

- Slotted Hex Washer

STEEL YELLOW ZINC (SELF-TAPPING)

TYPE-AB

- Flat Phillips
- Pan Phillips

STEEL SILVER RUSPERT (SELF-TAPPING)

TYPE-AB

- Unslotted Hex Washer

SELF-PIERCING

- Serrated Hex Washer Unslotted

STEEL GREEN ZINC (THREAD-CUTTING)

TYPE-F

- Phillips Hex Washer
- Slotted Hex Washer
- Unslotted Hex Washer

TYPE-1

- Slotted Hex Washer
- Unslotted Hex Washer

TYPE-23

- Slotted Hex Washer
- Unslotted Hex Washer

STEEL YELLOW ZINC (THREAD-CUTTING)

TYPE-F

- Pan Phillips

TYPE-1

- Slotted Hex Washer
- Unslotted Hex Washer

SELF-TAPPING

COMBINATION DRIVE TYPE-A

- Pan 18-8

PHILLIPS TYPES A & AB

- Flat Type-A 18-8 & 18-8 (Black Oxide)
- Flat Undercut Type-A (18-8)
- Flat Type-AB (18-8)
- Flat Undercut Type-AB (18-8)
- Oval Type-A (18-8)
- Oval Type-AB (18-8)
- Oval Undercut Type-A (18-8)
- Oval Undercut Type-AB (18-8)
- #8 Oval w/#6 Head Type-A (18-8)
- Pan Type-A (18-8)
- Pan Type-AB (18-8, Plain)
- Pan Type-A (18-8, Black Oxide)
- Pan Type-AB (18-8, Black Oxide)
- Truss Type-A (18-8)
- Truss Type-AB (18-8)
- Truss Type-AB (410)
- Hex Washer Type-A (18-8)

SLOTTED & UNSLOTTED TYPES A & AB

- Pan Slotted Type-A (18-8)
- Pan Slotted Type-AB (18-8)
- Hex Washer Slotted Type-A (18-8)
- Hex Washer Slotted Type-AB (18-8)
- Serrated Hex Washer Slotted Type-AB (18-8)
- Hex Wash Unslotted Type-A (18-8)
- Hex Wash Unslotted Type-AB
 - 18-8
 - 18-8, Black Oxide
- Serrated Hex Washer Unslotted Type-AB (18-8)

SELF-PIERCING

- Hex Washer Slotted (18-8)
- Hex Washer Slotted (410)
- Hex Washer Unslotted (410)
- Modified Truss Phillips (18-8)
- Modified Truss Phillips (410)

SIX-LOBE TYPE A & AB

- Flat Type-AB (18-8)
- Flat Undercut Type-AB (18-8)
- Pan Type-A (18-8)
- Pan Type-AB (18-8)
- Pan Type-AB (18-8, Black Oxide)

SQUARE RECESS TYPE A & AB

- Flat Type-A (18-8)
- Flat Undercut A (18-8)
- Flat Undercut AB (18-8)
- Pan Type-A (18-8)
- Pan Type-AB (18-8)

TYPE-B

- Phillips Flat (18-8)
- Phillips Flat Undercut (18-8)
- Phillips Flat Undercut (410)
- Phillips Oval Undercut (18-8)
- Phillips Pan (18-8)
- Phillips Truss (18-8)
- Six-Lobe Pan (18-8)
- Unslotted Hex Washer (18-8)
- Slotted Hex Washer (18-8)

HIGH-LOW

- Phillips Flat (18-8)
- Phillips Flat (410)
- Phillips Flat Undercut (18-8)
- Phillips Flat Undercut (410)
- Phillips Pan (18-8)
- Phillips Pan (410)
- Slotted Hex Washer (18-8)
- Unslotted Hex Washer (410)
- Unslotted Hex Washer (18-8)
- Six-Lobe Flat (18-8)
- Six-Lobe Pan (18-8)
- Six-Lobe Pan (410)

THREAD-CUTTING

TYPE-F

- Phillips Flat (410)
- Phillips Flat (18-8)
- Phillips Flat Undercut (410)
- Phillips Flat Undercut (18-8)
- Phillips Flat Undercut (18-8, Black Oxide)
- Phillips Pan (18-8)
- Phillips Pan (410)
- Phillips Truss (18-8)
- Unslotted Hex (18-8)
- Slotted Hex Washer (18-8)
- Slotted Hex Washer (410)
- Unslotted Hex Washer (410)
- Unslotted Hex Washer (18-8)
- Six-Lobe Flat (18-8)
- Six-Lobe Pan (18-8)
- Square Recess Undercut (300)

TYPE-1

- Phillips Pan (18-8)

TYPE-23

- Phillips Flat (18-8)
- Phillips Flat Undercut (18-8)
- Phillips Pan (18-8)
- Slotted Hex Washer (18-8)
- Unslotted Hex Washer (18-8)

TYPE-25

- Phillips Flat (18-8)
- Phillips Flat Undercut (18-8)
- Phillips Pan (18-8)
- Phillips Pan (410)
- Phillips Truss (18-8)
- Six-Lobe Pan (18-8)
- Slotted Hex Washer (18-8)

THREAD-CUTTING (BLACK OXIDE)

TYPE-F

- Phillips Flat Undercut (18-8)

DRIVE SCREWS (TYPE-U)

- Round 18-8
- Round 316

MILITARY-GRADE

SELF-TAPPING

- MS51861 Pan Phillips Type-AB (Steel Cadmium)
- MS51861 Pan Phillips Type-AB (410 Stainless)

THREAD-CUTTING APPLICATIONS



TYPE-1

Best used in steel sheets, structural shapes, special alloy steels, cast iron, brass or plastics. Point has a single cutting edge which can be useful as a field replacement part.



TYPE-23

Well-suited for cast iron and zinc, aluminum die castings and plastics. Offers largest thread-cutting area with superior chip clearing.



TYPE-25

Preferred for molded or through holes in plastics and other soft materials. Comparable to the Type-23 for thread-cutting area and chip clearing.



TYPE-F

For use in heavy gauge sheet metal, aluminum, zinc and lead die castings, cast iron, brass and plastic. Point has multiple cutting edges, each with small chip cavities.

SELF-TAPPING APPLICATIONS



HIGH-LOW

For use in nylon, wood or other low-density materials. Thread design reduces driving torques, enhances resistance to thread stripping, improves pullout strength and lessens the risk of cracking the work piece.



TYPE-A

Can be used for self-starting in sheet metals from .015 - .050 thick. It is preferred over a Type-AB in thinner sheets, although the Type-A is not as readily available throughout the industry.



TYPE-AB


Can be used for self-starting in sheet metals from .015 - .050 thick. It is preferred over a Type-A in heavier sheets and when used in brittle materials.



TYPE-B

For use in molded or through holes in thin metal, non-ferrous castings, plastics or resin-filled plywood.

SELF-TAPPING




HIGH LOW



TYPE-A



TYPE-AB



TYPE-B

THREAD-CUTTING



TYPE-1



TYPE-23



TYPE-25



TYPE-F



T: (901) 458-6133 sales@eaglesales.com

F: (901) 458-4144 www.eaglesales.com