

Low Carbon | Grade-5 | Grade-8 18-8 Stainless | Din 933 Class 8.8 | Din 933 Class 10.9















Grade-8









DIN 933 Class 10.9 Full Thread - Steel Plain



Tap Bolts are used instead of traditional Hex Cap Screws when greater thread length is necessary and when using a stud and nut would be impractical. Among the applications that require Tap Bolts are automotive and truck repair; mounting of motors to machinery; applications that require finer adjustments such as pulley and belt combinations; construction and agriculture. Choose a bolt that allows for a minimum of two full threads to extend beyond the nut when tightening is completed.

### Size Ranges

#### **INCH**

- ½-20 thru 1" diameters
- Lengths thru 15 inches
- Low Carbon: 185 sizes
- Grade-5: 236 sizes
- Grade-8: 265 items (includes zinc yellow & Plain finish)
- 18-8 Stainless: 35 sizes

#### **METRIC**

- M4 thru M24 diameters
- Lengths thru 90 mm.
- Class 8.8: 68 sizes
- Class 10.9: 24 sizes

Complete Manufacturer Certifications Available for all Metric Tap Bolts, as well as all Grade-5 and Grade-8 Tap Bolts.

# OVER 800 FULLY THREADED TAP BOLTS

## SAME-DAY SHIPPING!



T: (901) 458-6133 sales@eaglesales.com

F: (901) 458-4144 www.eaglesales.com